

佛山市南海大昌货架有限公司佛山市南海大昌钢构有限公司

货架厂地址:广东省佛山市南海区大沥广佛公路谢边段(机场路口) 钢构厂地址:广东省佛山市南海区大沥桂丹路谢叠大桥侧 电话:(0757)81185133 85561031 85553056

业务电话:(0)13924842633 (0)13902410873 (0)13902413538

E-mail:dachanghuojia@hotmail.com

http://www.dcshelf.com 大昌货架有限公司

http://www.dcsteels.com 大昌钢构有限公司

http://www.dcshelf.com.hk 香港大昌贸易有限公司

Dachang Racking & Shelving Co., Ltd. Nanhai, Foshan Dachang Steel Structure Co., Ltd.Nanhai, Foshan

Add–1:Xiebian,Dali,Nanhai District,Foshan City,Guangdong Province Add–2:Xiedie Bridge,Guidan Road,Dali,Nanhai District,Foshan City.Guangdong Province

Tel:(0757)81185133 85561031 85553056

Mobile:(0)13924842633 (0)13902410873 (0)13902413538

E-mail:dachanghuojia@hotmail.com

http://www.dcshelf.com

http://www.dcsteels.com

http://www.dcshelf.com.hk







佛山市南海大昌货架有限公司 Dachang Racking & Shelving Co.,Ltd. Nanhai, Foshan 佛山市南海大昌钢构有限公司 Dachang Steel Structure Co., Ltd.Nanhai,Foshan



150质量体系认证企业佛 山 市 含 优 企 业

The ISO quality system certified enterprise Foshan city famous enterprises



ISO质量体系认证企业 佛山市名优企业 The ISO quality system certified enterprise Foshan city famous enterprises

Foshan city famous enterprises

广东省佛山市南海大昌货架有限公司始建于1987年,专业从事设计、制造及安装大、中、重型货架以及物流配套产品生产的厂家。

公司拥有占地面积10万平方米的高科技配置厂房,位于广佛公路谢边段与佛山机场路交界处,周边有铁路、高速公路、河港以及机场,交通运输十分方便,周围公共设施齐备。经过30多年的发展,公司拥有一批基础扎实、素质较高的生产技术人员与专业设计人员,是广东省最具规模、设备先进的外向型货架生产基地。以"质量与世界同步,服务使用户满意"为目标,积极推动和实施ISO9001:2008质量管理体系,对工程设计、产品生产、检验、施工及安全服务实行严格控制和管理。在全国各地均设有分销机构,60%产品更远销国外,深得中外用户的信赖,多次荣获"名优企业"和"合同守信用企业"称号。

本公司的产品面向各大工厂、工矿、机场及物流配送等单位。经过不断完善的设计制造,拥有组装式、整体式货架合一产品系列,其中仓库型货架高度可达30米。以一流的服务、一流的品质满足客户的需求是我们不断追求的目标。

Dachang Racking & Shelving Co., Ltd. Nanhai, established in 1987, specializes in designing, manufacturing and installing industrial & commercial large, medium and heavy-duty shelving and racking products, and also accessories. In 2008.

The company operates 100,000 square meters of high tech equipped workshop, located at the junction of the section of Xiebian of Guang-Fo highway (No.325 Highway) to Foshan Airport Road. We are surrounded by the networks of railway, freeway, river port and airport, enjoying very convenient facilities of communication and transportation. After more than 30 years of development, the enterprise has now become one of the leading manufacturers in China and the most sizable racking and shelving company in Guangdong, with a group of senior engineers, professional designers and technical personnel, fulfilling ISO9001:2000 certificated quality standards, controlling and administering strictly the engineering design, production, inspection, construction and safe service. We have distributors all over the country and 60% of our products are exported overseas. We adhere to the target of ensuring the quality requirements and service level that is most satisfying to our international clients. This resolve has earned for us many accolades such as the titles of "Famous enterprise" and "Contract trustworthy enterprise" among others.

We supply our products to factories, mining, airports and logistics distribution. We always continue improving the design and production and we produce the series of assembly shelves, integral and multi shelves. We are able to produce the warehouse shelves with a height of 30 meters. We insist on this target: by perfect products, sincere service and a great reputation, by the technological power, advanced equipment and excellent skills, to earn the confidence from customers all over the world.











全面使用大昌货架自动仓库货架 Fully use the shelves of automatic warehouse in Dachang



大昌货架 DACHANG SHELVING










































































科学设计,先进加工技术,精心安装施工,为数码立体自 动仓库系统提供有效质量保证。

The scientific disign, advanced processing technology and careful installation ensure the quality of Automated Storage/Retrieval System,AS/RS.

自动立体仓库货架

automated Storage/Retrieval System,AS/R

雄厚技术人才,丰富生产经验,认真负责工作态度,成为优质货架正能量。基础扎实、素质优良和专业设计队伍,严格规范检测制度和先进设备与世界同步。

Strong technical talent, rich production experience, serious and reponsible attitude of working are positive energy for supplying high-quality shelf. A solid foundation of good quality and professional design team, strict inspection system and advanced equipment are synchronizing with the level of the world.














大跨越、大发展、大货架,大昌货架伴随时代进步努力为大型优质企业提供良好自动仓库系统。现场实景为华南地区大跨度高层自动全数码快速配送物流中心。

Wide span, great development, big rack, Dachang shelves developing together with the progress of the times strive to provide good quality Automated Storage/Retrieval System, AS/RS for large-scale enterprises. The scene shows the large-span high-rise automatic digital quick distribution and logistics center of Southern China.














广东温氏集团新兴南牧机械有限公司仓库货架由大昌公司承建





广东温氏集团新兴南牧机械有限公司仓库货架由大昌公司承建













大型堆垛机、大型货架以及高容量电脑 处理器为自动仓库系统提供良好坚实的基 础,为企业带来显著经济效益。

Large-scale stacker, large-scale shelves and high capacity computer processor ensure a solid base for Automated Storage/Retrieval System,AS/RS, which bring notable economic benefits to enterprises that use it.



自动立体仓库货架 Automated Storage/Retrieval System,AS/RS













大昌货架 DACHANG SHELVING



大型智能设备,大跨度长8M,高19M立体自 动仓库货架。从设计到生产,标志着华南地区立 体自动仓库货架走向新的里程碑。

Large-scale stacker, large-scale shelves and high capacity computer processor ensure a solid base for Automated Storage/Retrieval System, AS/RS, which bring notable economic benefits to enterprises that use it .

地基础实拍图













现场实景图

大型铝材生产企业模具自动化仓库管理系统,节省时间,数据处理准确,对提高生产力和企业腾飞起到积极作用。

Picture of scen

Automatic warehouse management system of mold of large-scale factory of aluminum, which can save time and process data exactly. Its superiority promotes the advance of productive ability and rapid development of the enterprise.











一、堆垛机主要配置 Main configuration of stacker

主要电器元件	品牌
Main electrical parts	Brand
行走电机减速机	S E W
Travel motor reducer	SEW
升降电机减速机	S E W
The lifting motor reducer	SEW
PLC	西门子
PLC	Siemens
操作界面	西门子
The operation interface	Siemens
变频器	西门子或安川
Frequency converter	Siemens or Yaskawa
光电开关	劳易测或倍加福
The photoelectric switch	Leuze or Pepperl + Fuchs
低压电器	施 耐 德
Low voltage electrical apparatus	Schneider

二、堆垛机主要技术性能与参数 The main technical performances and parameters


额定起升重量	双立柱 Double column	单立柱 Single column
托盘尺寸 Liter weight rated	0.8; 1.0; 1.5; 1.7; 2.0; 2.5; 3.0	0.1; 0.25; 0.5; 0.8; 1.0; 1.5
货叉类型	800*1000;800*1200;1000*1200或任意	800*1000;800*1200;1000*1200或任意
Tray size	800*1000; 800*1200; 1000*1200 or any other	800*1000; 800*1200; 1000*1200 or any other
运行速度	单货叉;双货叉或以上	单货叉;双货叉
Fork type	Single fork; double fork or more	Single fork; double fork
起升速度	5200m/min (变频调速)	5180 m/min (变频调速)
Running speed	5200m/min (VVVF)	5180 m/min (VVVF)
货叉速度	2/12,4/16,5/20(双速)或者变频调速360 m/min	2/12, 4/16(双速)或者变频调速360m/min
The lifting speed	2/12,4/16,5/20 (double speed) or variable frequency drive 360 m/min	2/12, 4/16(double speed) or variable frequency drive 3-60m/mir
总功率	340 m/min (变频调速)	340 m/min(变频调速)
Fork speed	340 m/min (VVVF)	340 m/min (VVVF)
整机全高 The total power	>20kw	>20kw
最低货位标高 The height of whole machine	3 <h<25m< td=""><td>3<h<25m< td=""></h<25m<></td></h<25m<>	3 <h<25m< td=""></h<25m<>
最高货位标高 The elevation of the lowest position	>560mm	>560mm
导电方式 The elevation of the highest position	<23 m	<23 m
通讯方式	滑触线	滑触线
Conducting mode	Sliding contact line	Sliding contact line
控制方式	总线通讯;工业无线以太网	总线通讯;工业无线以太网
Communication mode	Profibus; Industrial Wireless Ethernet	Profibus; Industrial Wireless Ethernet
出入库作业方式	手动;半自动;单机自动;联机自动	手动;半自动;单机自动;联机自动
Control mode	Manual; semiautomatic; single machine automatic; on-line automatic	Manual; semiautomatic; single machine automatic; on-line automati
	拣选式;单元式;混合式;组合式 The chosen type; cell type; hybrid; combine type	拣选式;单元式;混合式;组合式 The chosen type; cell type; hybrid; combine type






穿梭母车








穿梭子车

Radio shuttle







塑胶托盘 Plastic tray

木托盘 Wooden pallets

穿层式往复式升降机Reciprocating lifter enter different storey

◆实现双轨搬运小车及承载货物的不同轨道高度的切换;

To realize the transfer of the shuttle and carried cargo vertically enter rails of

◆可以实现多种高度的轨道在同一垂直空间内的交叉输送;

To realize the crossing conveyance vertically enter rails of different heights.




入口托盘提升机

◆也可以实现在平面上多轨道对多轨道的交叉切换。

Also to realize the crossing transmission horizontal between multi parallel rails.







Also to realize crossing transfer horizontal between intersecting rails.

◆也可以实现在平面上多交叉轨道的多方向转换;

orbit, normally used

穿梭车系列

he shuttle

自动穿梭车工程实例展示

Scene of project of automatic shuttle



单侧进出模式简图 Rails in the middle of racking

◆子母车及轨道布置在穿梭式货架的中间位置:

The shuttle carrier system and guide rail are arranged in the middle of racking;

◆入库、出库各配置一套提升与输送系统:

Loading section and unloading section are equipped respectively with elevating and conveyer system;

◆出入库方式:均在一侧;


Access of goods: loading unloading both in one side;

◆出入库模式:单巷道内,后入先出模式(LIFO)

Mode of loading and unloading: last-in-first-out (LIFO) in single channel;

◆整体库区,以巷道为单元,自由存取;

The whole warehouse consists of many channels, goods are loaded and unloaded freely;







028





应用场合Usage occasion

- ◆自动化物流输送Automatic conveyor
- ◆适用车间至仓库间的、长距离的往返物流输送;

Suitable to longest distance and round-trip conveyor between the warehouses and workshop;

◆半自动化装配与物流输送组合Combination of semi–automatic assembling and logistics conveyor

通过对小车安装底板的专用化改造,可适用在各种半自动化的工装板方式环形装配线,以及装配半成品缓存、在线测试、至仓库间的循环输送;

By special modification for the baseboard of auto cruisers shuttle, it could be used in semi-automatic annular assemble lines with baseboard in many occasions, finished product butter on-line, testing on-line, conveyor between each warehouses or workshops etc.;

系统特点Features

◆模块化Modularization

搬运小车、各工位单机,全采用模块化搭建,可实现多种方式组合,更改更方便快捷、成本更低;

Automatic-guided vehicle and every unit are modularly constructed which can realize multiple combination, enjoying more convenient and efficient with lower cost;

◆柔性化Flexibility

双轨搬运小车采用电池或刷电,可随意移动,所有单机相对独立,并采用无线进行操作与控制,整个系统更柔性化;

The automatic–guided vehicle is driven by batteries and brush motors, which can move freely, every unit is independent, which can realize wireless control and dispatch, making entire system more flexible;











实例:佛山大型棉纺织企业中心调配楼阁式货架高21米7层,均载1500KG/层,具有配送方便、节 约土地、成本低廉、运作效益高等优点。

Mezzanine racking with height of 21 meters and 7 layers, average loading capacity 1500KG per layer, which possesses the advantages as convenient distribution, saving land, low cost and efficient operation, etc.













(实景)日产汽车配送中心,使用大昌楼阁式货架. Dachang mezzanine storage built in Nissan motor's 4S shop.



(实景)日产汽车配送中心,使用大昌楼阁式货架. Dachang mezzanine storage built in Nissan motor's 4S shop.

◆楼板式样 Flooring grates



材料轻,采光,换气性好

◆花纹钢板



防滑










立柱截面图 The column section



通廊式仓库货架

Drive-in/Drive-through Racks

大跨度通廊式货架专为外国企业设计,我们以先进科学设计为导向和成功的生产工艺,赢得外国企业家的认可和 使用,并得到一致好评。


Both drive-in and drive through systems are the ultimate in high-density storage.No other form provdes more storage capacity per square foot of room than these systems. They provide a very low cost yet efficient means of high volume storage.





通廊式仓库货架 Drive-in/Drive-through Racks





通廊式仓库货架导轨 Roll farmed pallet rail





悬臂式仓库货架

Cantilever Stora



结构坚固,安装方便,使用灵活,它具备对货物迅速储存配送等特有结构的优点。

Cantilever racks are great to organize a warehouse, lumber yard or manufacturing facility. With cantilever racks, each type of product can ben segregated by commodity and size, increase labor efficiency, reduce in injury.














悬臂式货架(1000Kg/支臂) Powder coated light duty cantilever racks for indoor use.



坚美公司悬臂式货架应用实景拍摄(1000KG/支臂) JIANMEI Cantilever Rack 双面高达8000mm Double up to 8000mm



广州阿波罗公司悬臂式货架应用实景拍摄(1000KG/支臂) Cantilever system in Guangzhou Apollo























HA E DEL TION





自动仓托盘B Floor slab

自动仓托盘C Floor slab









